

Berridge Victorian & Classic Shingles

SHINGLE SYSTEM



The Berridge Victorian and Classic Shingles are ideal for restoration projects or new construction looking for a historic Victorian or traditional feel without compromising the integrity of the roof or walls.



Materials

24 Gauge Steel

Specifications

Uses: Roof, Wall, Fascia

Coverage: 9" wide and 12" tall

Finishes: Victorian or Classic stamped pattern

Fasteners: Concealed

Applications: Solid sheathing


Installation

- Factory formed prefinished shingles.
- Shingles interlock at side lap and overlap from course to course.
- 133 Shingles per square, must order in full square quantities, minimum order of one square.
- Use J-Clip continuously at ridge, hip, gables, endwalls, valleys, etc.*
- Use 4" ridge/hip cap continuously at ridges and hips*.
- Use drip flashing continuously at eaves and gables*.


Note:

* Trim drawings with dimensions, specified angle or roof pitch, and finish side required for all Berridge manufactured trim pieces.

Victorian



Classic



Pictured Above
Panel: Victorian Shingle
Project: Southernmost House - Key West, FL
Installing Contractor: A-Plus Roofing of Key West, Inc.
Color: Terra-Cotta

Pictured Right
Panel: Classic Shingle



BERRIDGE VICTORIAN & CLASSIC SHINGLES TESTING AND CERTIFICATION SUMMARY CHART

CATEGORY	CHARACTERISTIC	TEST METHOD	PURPOSE	RESULT
PERFORMANCE	■ Underwriters Laboratories	UL 580/UL 1897	Test method to determine uplift resistance of roof assemblies	See Load Chart on Berridge website
PRODUCT LISTINGS	■ Florida Product Approval	TAS 125	Local and state approval of products and systems for compliance with the structural requirements of the Florida Building Code	FL# 11422.2 (24 GA - Plywood, Wood Plank) FL# 11241.3 HVHZ (24 GA - Plywood, Wood Plank)
	■ Miami Dade	TAS 125 TAS 100	Miami Dade County approval of building products directly related to the structural wind resistance	NOA # 22-0920.07 (24 GA - Plywood, Wood Plank)
	■ TDI Listed	UL 580/UL 1897	Texas Department of Insurance Listing for wind capacities	RC-231 (24 GA - Plywood)

■ - Steel only □ - Steel and Aluminum
For further details please visit www.berridge.com



CORPORATE HEADQUARTERS
2610 Harry Wurzbach Road
San Antonio, TX 78209
(800) 669-0009
www.Berridge.com